Quentin Sager Consulting, Inc.

[NALENNDTM PREMIUM EDITION]

North American Local Exchange NPA NXX Database reference manual

This document contains the data set and file specifications for the NALENND™ Premium Edition database. These specifications are subject to change without notice. The data it describes is furnished under a license agreement, and may be used or copied only in accordance with the terms of the license agreement.

NALENND™ Premium Edition Reference Manual Revised: April 2, 2014

Published by: Quentin Sager Consulting, Inc. 6101 W Green Acres St Homosassa, FL 34446

Copyright © 2014 Quentin Sager Consulting, Inc. All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of Quentin Sager Consulting, Inc.

Disclaimer and Limitation of Liability

The information provided in this document is directed solely to users who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering, industry, or other professional standards and applicable regulations.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. QUENTIN SAGER CONSULTING SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY QUENTIN SAGER CONSULTING FOR THIS DOCUMENT, WITH RESPECT TO ANY CLAIM, AND IN NO EVENT SHALL QUENTIN SAGER CONSULTING BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. QUENTIN SAGER CONSULTING EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

FILE NAMES AND DESCRIPTIONS

Each table (*file*) in the NALENND™ database is delivered in flat, delimited text file format (commonly referred to as comma-separated-value or CSV format). The NALENND™ database is easily imported to and accessed through most contemporary database engines including (but not limited to) MySQL, PostgreSQL, SQLite, Oracle, IBM DB2, Microsoft SQL Server, Microsoft Access, or similar tool.

The data can be imported as either US-ASCII or Unicode UTF-8 text. For each file in the NALENND™ database; the first row contains field names (column headers), fields are terminated by a single comma "," character, fields are optionally enclosed using a double quote character, and lines (rows) are terminated with a two character carriage return line feed (CR + LF) sequence.

File	Primary data contents	
phonepremium.csv	Active NPA NXX (central office codes) and block assignments within the NPA NXX	
lata.csv	Local Access and Transport Area (LATA) codes and names	
county.csv	United States FIPS county codes and names; Canadian census division codes and names	
cbsa.csv	Current metropolitan statistical areas and their codes; United States – Core Based Statistical Area (CBSA) codes; Canada – Census Metropolitan Area (CMA) or Census Agglomeration (CA) codes	
msa.csv	United States MSA codes based on definitions used for presenting metropolitan area statistics in Census 2000 publications. These historical 4-digit codes were superseded in June 2003.	

RECORD LAYOUTS AND FIELD DESCRIPTIONS

FILE: phonepremium.csv

Field	Description	
NPA	Numbering Plan Area (NPA) Code. An NPA, also known as a telephone <i>area code</i> , is the first three digits of a 10-digit North American Numbering Plan (NANP) telephone number in the form NXX-NXX-XXXX, where N represents any one of the numbers 2 through 9 and X represents any one of the numbers 0 through 9. Valid numeric range for NPA codes is 200 through 999.	
NXX	Central Office Code (COC). The COC, commonly called the telephone exchange or prefix, is the second three digits (NXX) of a 10-digit NANP telephone number in the form NXX-NXX-XXXX, where N represents any one of the numbers 2 through 9and X represents any one of the numbers 0 through 9. Valid numeric range for NXX codes is 200 through 999.	
LATA	Local Access and Transport Area (LATA), or LATA-like code of the Rate Center. This LATA may differ from the geographical LATA of the switch. LATA codes are 3-digits however some Florida LATA codes may indicate 5-digits, for these codes, the last two digits are the LATA sub-zone which represents Equal Access Exchange Areas (EAEAs).	
LTYPE	 S – Land line, non-wireless service including POTS, Broadband, etc. C – Wireless type service including PCS, Cellular, GSM, etc. P – Paging and other Messaging services M – Mixed wireless and land line service V – VolP 	
STATE	2-character United States Postal Service/Canada Post postal abbreviation (United States Postal Service 2008) for the state, province, or territory of the Rate Center location. For Caribbean Rate Centers, this field is populated with the 2-character Common Language® country code.	
COUNTRY	2-character ISO 3166 Country Code (ISO 3166-1:2006 2006) of the Rate Center location. These country codes may differ from the similar FIPS country codes (Federa Information Processing Standards Publication 104-1 1986) used in other telecommunications industry specific databases.	
RC	Name of the Rate Center, Rate Exchange Area, or locale identifying the geographic area served by the NPA NXX.	
ZIP	 United States Zip code or Canada Post FSA code found in use within the Rate Center, Rate Exchange Area, or locality based on geographic relationship. United States – contains the first 5-digit ZIP code found for the exchange locality within the Rate Center. Canada – contains the first postal code Forward Sortation Area code for the exchange within the Rate Center. 	

ZIP2	Second United States ZIP code or Canadian postal code Forward Sortation Area code for the exchange locality.			
ZIP3	Third United States ZIP code or Canadian postal code Forward Sortation Area code for the exchange locality.			
ZIP4	Fourth United States ZIP code or Canadian postal code Forward Sortation Area code for the exchange locality.			
FIPS	County, county equivalent or census division code.			
	 United States – 5-digit Federal Information Processing System (FIPS) county code. Canada – 4-digit Statistics Canada census division code 			
FIPS2	Second county, county equivalent or similar code.			
FIPS3	Third county, county equivalent or similar code.			
CBSA	Metropolitan statistical area (code) the Rate Center, Rate Exchange Area, or locality is located in.			
	 United States – 5-digit Office of Management and Budget to the Core Based Statistical Area (CBSA) code Canada – 3-digit Statistics Canada Census Metropolitan Area (CMA) or Census Agglomeration (CA) code 			
CBSA2	Second metropolitan statistical area code.			
MSA	4-digit Metropolitan Statistical Area (MSA) code the Rate Center is located in if any. This field is maintained for historical cross-reference. MSA codes have been replaced with the 5-digit CBSA code.			
PMSA	United States exchanges only. 4-digit Primary Metropolitan Statistical Area (PMSA) code the Rate Center is located in if any. If a PMSA code is present then the MSA code is recognized as a Consolidated Metropolitan Statistical Area (CMSA) code. This field is maintained for historical cross-reference. MSA codes have been replaced with the 5-digit CBSA code. United States exchanges only.			
LATITUDE	Latitude in decimal degrees locating the general NPA NXX service area.			
LONGITUDE	Longitude in decimal degrees locating the general NPA NXX service area.			
DERIVED_FROM_NPA	Indicates the previous NPA that existed in the area covered by a given NPA. In cases of overlays, some or all of the previous NPAs may still cover the area. The OVERLAY field should be referenced to determine how to interpret this field. • Splits –this field specifies the original NPA that this NPA was created from via a			
	 geographic split. Overlays –this field specifies the original NPA that this NPA now overlays. If this field is empty or specifies the current NPA then the current NPA is the original or parent NPA. 			

NEWNPA	 Specifies the new area code to be used with the NXX or new area code(s) created in the same coverage area as the current area code. The OVERLAY field should be referenced to determine how to interpret this field. Splits – if not empty or the value specified is different than the current NPA then this field specifies the new area code that should be used with the current NXX. Overlay – if present, specifies one or more semi-colon separated area codes that occupy the same coverage area as the current NPA. The area code for the current NXX remains the same.
OVERLAY	 Single character field to determine how the DERIVED_FROM_NPA and NEWNPA fields should be interpreted. O - the NPA is overlaid by one or more NPAs or this NPA overlays one or more NPAs. The DERIVED_FROM_NPA field may be used to determine the overlay direction. P - the NPA is involved in a DERIVED_FROM_NPA split and the exchange is being moved from the NEWNPA parent. If the NEWNPA field is empty, the exchange is remaining in the current NPA and is protected from re-assignment during the split. S - the NPA is being split and the exchange is moving from the current NPA to the NEWNPA Empty – if DERIVED_FROM_NPA is not empty then NPA was created from a geographic split of DERIVED_FROM_NPA.

FILE: county.csv

Field	Description		
CountyCode	County, county equivalent, or census division code		
	 United States – 5-digit Federal Information Processing System (FIPS) County code. Canada – 4-digit Statistics Canada census division code 		
Country	Two-character ISO 3166-1 Country Code		
State	Two character state, province, or territory abbreviation		
Name	Name of county or county equivalent		
Туре	Organizational recognition of the county		
LandArea	Land area in square miles		
Pop2006	U.S. Census Bureau, Population Division or Statistics Canada reported 2006 population		

FILE: cbsa.csv

Field	Description		
CBSA	Metropolitan statistical area code		
	 United States – 5-digit Office of Management and Budget to the Core Based Statistical Area (CBSA) code Canada – 3-digit Statistics Canada Census Metropolitan Area (CMA) or Census Agglomeration (CA) code 		
CSA	Three-digit Combined Statistical Area code if the CBSA is part of a larger statistical area.		
AREA_NAME	Area name		
STATE	State or province abbreviation		
AREA_TYPE	Recognized area type		

FILE: msa.csv

Field	Description	
MSA	4-digit code assigned by the Office of Management and Budget to the MSA or PMSA code.	
TYPE	Identifies whether the code is an MSA (Metropolitan Statistical Area), PMSA (Primary Metropolitan Statistical Area), or CMSA (Consolidated Metropolitan Statistical Area).	
NAME	Official name of the MSA, PMSA or CMSA.	
CMSA	2-digit code to identify the CMSA.	
POPULATION	Estimated year 2000 population	

FILE: lata.csv

Field	Description	
LATA	3 or 5 digit Local Access and Transport Area (LATA) code. Technically LATA codes are 3-digits, some Florida LATA codes may indicate 5-digits, for these codes the last two digits are the LATA sub-zone which represents Equal Access Exchange Areas (EAEAs).	
STATE	Two character state, province, or territory abbreviation for the LATA location.	
COUNTRY	Two character ISO 3166 Country Code for LATA location.	
LOCATION	LATA name	

GLOSSARY

Basic Trading Area (BTA)

United States Basic Trading Areas are based on the Rand McNally 1992 Commercial Atlas & Marketing Guide, 123rd Edition, at pages 38-39, with the following additions: American Samoa (492), Guam (490), Northern Mariana Islands (493), San Juan, Puerto Rico (488), Mayagüez/Aguadilla-Ponce, Puerto Rico (489), and the United States Virgin Islands (491).

Central Office

Also referred to as a *Wire Center* or *End Office*, a *Central Office* is the building where end user lines are joined to switching equipment that connects other end users to each other, both locally and via long distance carriers. The central office contains the associated inside plant network elements required to perform this function, such as distribution frames, interoffice facility termination points, and so on.

Local Access and Transport Area (LATA)

A Local Access and Transport Area defines the area within which those local Service Providers directly addressed by the 1984 Modified Final Judgment (MFJ) (i.e. AT&T Divestiture) are permitted to carry traffic. Cross-LATA traffic, except in isolated wavered cases, is handled by interexchange carriers. Although LATA restrictions do not apply to companies not addressed by the MFJ, due to the various interconnection needs among carriers, the influence of LATA restrictions impacts all carriers to a degree.

Major Trading Area (MTA)

United States Major Trading Areas are based on the Rand McNally 1992 Commercial Atlas & Marketing Guide, 123rd Edition, at pages 38-39 and are used by the U.S. Federal government for determining service areas for some wireless Service Providers.

North American Numbering Plan (NANP)

The *NANP* is the basic numbering scheme for the telecommunications networks in the following 19 countries in ITU Country Code 1: Anguilla, Antigua & Barbuda, Bahamas, Barbados, Bermuda, British Virgin Islands, Canada, Cayman Islands, Dominica, Dominican Republic, Grenada, Jamaica, Montserrat, St. Kitts & Nevis, St. Lucia, St. Vincent & the Grenadines, Trinidad & Tobago, Turks & Caicos Islands, and the United States of America (including Puerto Rico, the U.S. Virgin Islands, Guam, the Commonwealth of the Northern Mariana Islands, and American Samoa).

National Exchange Carrier Association (NECA)

Formed in 1983 by the Federal Communications Commission (FCC), NECA is a not-for-profit corporation whose members are local telephone companies. NECA provides Company Codes, used to identify telecommunications carriers and service providers; and helps administer the FCC access charge plan and other federal and state telecommunications programs.

Numbering Plan Area (NPA)

Numbering Plan Area, also called Area Code. An NPA is the 3-digit code that occupies the A, B, and C positions in the 10-digit NANP format that applies throughout the NANP serving area. NPAs are of the form NXX, where N represents the digits 2-9 and X represents any digit 0-9. In the NANP, NPAs are classified as either geographic or non-geographic.

Rate Center

A Rate Center is technically the approximate midpoint of a geographical area called a Rate Exchange Area, although the term Rate Center has also been used synonymously with the geographic area itself. The Rate Center point is used as basis to determine mileage between Rate Centers. Rate Exchange Area and Rate Center information, as well as other aspects (e.g. V&H) are addressed and defined in local exchange tariffs filed with each state commission by Service Providers operating in each state.

Thousands Block Number Pooling

Thousands-block number pooling is a process by which the 10,000 numbers in a central office code (NXX) are separated into ten sequential blocks of 1,000 numbers each (thousands-blocks), and allocated separately within a Rate Center. Number Pooling has been established in accordance with the FCC Report and Order No. 00-104 and the INC Thousands Block Pooling Administration Guidelines (INC 99-0127-023).

Wire Center

Wire Center is often used interchangeably with the terms Central Office and switch. Technically, the wire center is the location where the local exchange carrier terminates subscriber local loops, along with the testing facilities necessary to maintain them. A wire center can be a building or space within a building that serves as an aggregation point on a local exchange carrier's network, where transmission facilities and circuits are connected or switched. "Wire Center" can also denote a building in which one or more central office, used for the provision of exchange services and access services, is located.

V&H Coordinates

Vertical and Horizontal (V&H) coordinates have been used in telephony since the late 1950's as a means to determine "airline" distance between two points using a simple "distance" formula. The projection algorithm uses latitude and longitude as well as various other factors in deriving the coordinate values. These coordinates are used to identify geographic locations and calculate relative distances between network elements (e.g. switch locations), and between Rate Centers.

SQL SCRIPTS AND SCHEMAS

MySQL

```
CREATE DATABASE if not exists `nalennd premium`;
USE `nalennd premium`;
DROP TABLE IF EXISTS `npanxx`;
`NXX` char(3) NOT NULL,
        `LATA` char(5) DEFAULT NULL,
        `LTYPE` char(1) DEFAULT NULL,
`STATE` char(2) DEFAULT NULL,
        `COUNTRY` char(2) DEFAULT NULL,
        `RC` varchar(128) DEFAULT NULL, 
`ZIP` varchar(7) DEFAULT NULL,
        `ZIP2` varchar(7) DEFAULT NULL,
        `ZIP3` varchar(7) DEFAULT NULL,
        `ZIP4` varchar(7) DEFAULT NULL,
        `FIPS` char(5) DEFAULT NULL,
        `FIPS2` char(5) DEFAULT NULL,
        `FIPS3` char(5) DEFAULT NULL,
        `CBSA` char(5) DEFAULT NULL,
`CBSA2` char(5) DEFAULT NULL,
        `MSA` char(4) DEFAULT NULL,
        `PMSA` char(4) DEFAULT NULL,
        `LATITUDE` double NOT NULL DEFAULT '0',
        `LONGITUDE` double NOT NULL DEFAULT '0',
        `DERIVED FROM NPA` char(3) DEFAULT NULL,
        `NEWNPA` varchar(28) DEFAULT NULL,
`OVERLAY` char(1) DEFAULT NULL,
        PRIMARY KEY (`NPA`, `NXX`),
) ENGINE=MyISAM DEFAULT CHARSET=utf8;
DROP TABLE IF EXISTS `lata`;
`STATE` CHAR(2) DEFAULT NULL,
        `COUNTRY` CHAR(2) DEFAULT NULL,
        `LOCATION` VARCHAR (64) DEFAULT NULL,
        PRIMARY KEY (`LATA`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;
DROP TABLE IF EXISTS `county`;
CREATE TABLE `county` (
        `CountyCode` CHAR(5) NOT NULL,
        `Country` CHAR(2) DEFAULT NULL,
        `State` CHAR(2) DEFAULT NULL,
        `Name` VARCHAR(128) DEFAULT NULL,
        `Type` VARCHAR(80) DEFAULT NULL,
        `LandArea` INT(11) DEFAULT NULL,
        `Pop2006` INT(11) DEFAULT NULL,
        PRIMARY KEY (`CountyCode`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;
DROP TABLE IF EXISTS `cbsa`;
CREATE TABLE `cbsa` (
        `CBSA` CHAR(5) NOT NULL,
        `CSA` CHAR(3) DEFAULT NULL,
        `AREA NAME` VARCHAR(128) DEFAULT NULL,
        `STATE` VARCHAR(20) DEFAULT NULL,
        `AREA TYPE` VARCHAR(128) DEFAULT NULL,
        PRIMARY KEY (`CBSA`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;
```

Microsoft SQL Server

```
CREATE DATABASE [nalennd] ON PRIMARY
USE [nalennd]
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
SET ANSI PADDING ON
CREATE TABLE [dbo].[npanxx](
       [NPA] [char](3) NOT NULL,
        [NXX] [char](3) NOT NULL,
       [LATA] [char](5) NULL,
       [LTYPE] [char](1) NULL,
       [STATE] [char](2) NULL,
        [COUNTRY] [char](2) NULL,
       [RC] [varchar] (128) NULL,
       [ZIP] [varchar] (7) NULL,
       [ZIP2] [varchar] (7) NULL,
       [ZIP3] [varchar](7) NULL,
       [ZIP4] [varchar](7) NULL,
        [FIPS] [char](5) NULL,
        [FIPS2] [char](5) NULL,
       [FIPS3] [char](5) NULL,
       [CBSA] [char] (5) NULL,
        [CBSA2] [char] (5) NULL,
       [MSA] [char] (4) NULL,
       [PMSA] [char] (4) NULL,
        [LATITUDE] [float] NULL CONSTRAINT [DF npanxx LATITUDE] DEFAULT ((0)),
        [LONGITUDE] [float] NULL CONSTRAINT [DF npanxx LONGITUDE] DEFAULT ((0)),
       [DERIVED FROM NPA] [char] (3) NULL,
       [NEWNPA] [varchar] (28) NULL,
       [OVERLAY] [char] (1) NULL,
CONSTRAINT [PK npanxx] PRIMARY KEY CLUSTERED
(
        [NPA] ASC,
        [NXX] ASC
) WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF, ALLOW ROW LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
CREATE TABLE [dbo].[lata](
       [LATA] [char] (5) NOT NULL,
       [STATE] [char](2) NULL,
       [COUNTRY] [char](2) NULL,
       [LOCATION] [varchar] (64) NULL,
 CONSTRAINT [PK LATA] PRIMARY KEY CLUSTERED
(
       [LATA] ASC
) WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF, ALLOW ROW LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
CREATE TABLE [dbo].[county](
        [CountyCode] [char] (5) NOT NULL,
        [Country] [char] (2) NOT NULL,
        [State] [char](2) NOT NULL,
        [Name] [varchar] (128) NOT NULL,
        [Type] [varchar] (80) NULL,
        [LandArea] [int] NULL,
       [Pop2006] [int] NULL,
 CONSTRAINT [PK_county] PRIMARY KEY CLUSTERED
```

```
[CountyCode] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
CREATE TABLE [dbo].[cbsa](
       [CBSA] [char](5) NOT NULL,
[CSA] [char](3) NULL,
       [AREA NAME] [varchar] (64) NULL,
       [STATE] [varchar] (20) NULL,
       [AREA TYPE] [varchar] (64) NULL,
CONSTRAINT [PK cbsa] PRIMARY KEY CLUSTERED
       [CBSA] ASC
) WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
CREATE TABLE [dbo].[msa](
       [MSA] [char](4) NOT NULL,
        [TYPE] [varchar](8) NULL,
       [NAME] [varchar] (128) NULL,
       [CMSA] [char](2) NULL,
       [POPULATION] [int] NULL,
CONSTRAINT [PK msa] PRIMARY KEY CLUSTERED
       [MSA] ASC
) WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF, ALLOW_ROW_LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
SET ANSI_PADDING OFF
```

ORACLE

```
CREATE TABLE "npanxx" (
    "NPA" CHAR (3) NOT NULL ENABLE,
       "NXX" CHAR(3) NOT NULL ENABLE,
       "LATA" CHAR(5),
       "LTYPE" CHAR(1),
       "STATE" CHAR(2),
       "COUNTRY" CHAR(2),
       "RC" VARCHAR(128),
       "ZIP" VARCHAR(7),
       "ZIP2" VARCHAR(7),
       "ZIP3" VARCHAR(7),
       "ZIP4" VARCHAR(7),
       "FIPS" CHAR(5),
       "FIPS2" CHAR(5),
       "FIPS3" CHAR(5),
       "CBSA" CHAR(5),
       "CBSA2" CHAR(5),
       "MSA" CHAR(4),
       "PMSA" CHAR(4),
       "LATITUDE" NUMBER,
       "LONGITUDE" NUMBER,
       "DERIVED FROM NPA" CHAR(3),
       "NEWNPA" VARCHAR (28),
       "OVERLAY" CHAR(1),
        CONSTRAINT "npanxx_PK" PRIMARY KEY ("NPA", "NXX") ENABLE
   );
CREATE TABLE "lata"(
       "LATA" CHAR (5) NOT NULL ENABLE,
       "STATE" CHAR(2),
       "COUNTRY" CHAR(2),
       "LOCATION" VARCHAR (64),
        CONSTRAINT "lata PK" PRIMARY KEY ("LATA") ENABLE
   );
CREATE TABLE "county" (
       "CountyCode" CHAR(5) NOT NULL ENABLE,
       "Country" CHAR(2),
       "State" CHAR(2),
       "Name" VARCHAR(128),
       "Type" VARCHAR(80),
       "LandArea" int,
       "Pop2006" int,
        CONSTRAINT "county PK" PRIMARY KEY ("CountyCode") ENABLE
CREATE TABLE "cbsa"(
       "CBSA" CHAR (5) NOT NULL ENABLE,
       "CSA" CHAR(3),
       "AREA NAME" VARCHAR(64),
       "STATE" VARCHAR(20),
       "AREA TYPE" VARCHAR(64),
        CONSTRAINT "cbsa_PK" PRIMARY KEY ("CBSA") ENABLE
CREATE TABLE "msa"(
       "MSA" CHAR (4) NOT NULL ENABLE,
       "TYPE" VARCHAR(8),
       "NAME" VARCHAR(128),
       "CMSA" CHAR(2),
       "POPULATION" int,
        CONSTRAINT "msa_PK" PRIMARY KEY ("MSA") ENABLE
   );
```

Appendix A - State, province, and territory codes

United States - States and territories

Ornicoa	Otatoo ana torritorio		
AL	Alabama	NJ	New Jersey
AK	Alaska	NM	New Mexico
ΑZ	Arizona	NY	New York
AR	Arkansas	NC	North Carolina
CA	California	ND	North Dakota
CO	Colorado	OH	Ohio
CT	Connecticut	OK	Oklahoma
DE	Delaware	OR	Oregon
DC	District of Columbia	PA	Pennsylvania
FL	Florida	RI	Rhode Island
GA	Georgia	SC	South Carolina
HI	Hawaii	SD	South Dakota
ID	Idaho	TN	Tennessee
IL	Illinois	TX	Texas
IN	Indiana	UT	Utah
IA	lowa	VT	Vermont
KS	Kansas	VA	Virginia
KY	Kentucky	WA	Washington
LA	Louisiana	WV	West Virginia
ME	Maine	WI	Wisconsin
MD	Maryland	WY	Wyoming
MA	Massachusetts	AS	American Samoa ¹
MI	Michigan	FM	Micronesia
MN	Minnesota	GU	Guam
MS	Mississippi	MH	Marshall Islands
MO	Missouri	MP	Northern Mariana Islands ²
MT	Montana	PW	Palau
NE	Nebraska	PR	Puerto Rico
NV	Nevada	UM	Minor Islands

Canada - Provinces and territories

New Hampshire

NH

AB	Alberta	NU	Nunavut ³
BC	British Columbia	ON	Ontario
MB	Manitoba	PE	Prince Edward Island
NB	New Brunswick	QC	Quebec ⁴
NL	Newfoundland and Labrador ⁵	SK	Saskatchewan
NT	Northwest Territories	YT	Yukon
NS	Nova Scotia		

Mexico - States and territories

AGS	AGUASCALIENTES	MOR	MORELOS
BC	BAJA CALIFORNIA	NAY	NAYARIT

¹ COMMON LANGUAGE® abbreviation for American Samoa is AM

VΙ

Virgin Islands

² COMMON LANGUAGE® abbreviation for Northern Mariana Islands is NN

³ COMMON LANGUAGE® abbreviation for Nunavut is VU

⁴ COMMON LANGUAGE® abbreviation for Quebec is PQ

⁵ COMMON LANGUAGE® abbreviation for Newfoundland and Labrador is NF

BCS	BAJA CALIFORNIA SUR	NL	NUEVO LEON
CAM	CAMPECHE	OAX	OAXACA
COAH	COAHUILA	PUE	PUEBLA
COL	COLIMA	QRO	QUERETARO
CHIS	CHIAPAS	QROO	QUINTANA ROO
CHIH	CHIHUAHUA	SLP	SAN LUIS POTOSI
DF	DISTRITO FEDERAL	SIN	SINALOA
DGO	DURANGO	SON	SONORA
GTO	GUANAJUATO	TAB	TABASCO
GRO	GUERRERO	TAM	TAMAULIPAS
HGO	HIDALGO	TLAX	TLAXCALA
JAL	JALISCO	VER	VERACRUZ
MEX	MEXICO	YUC	YUCATAN
MICH	MICHOACAN	ZAC	ZACATECAS

Appendix B - Country codes

Countries, islands, and territories participating in the North American Numbering Plan.

ISO 3166-1	FIPS 104-1	Country
US	US	United States
CA	CA	Canada
BS	BA	Bahamas
BB	BD	Barbados
Al	Al	Anguilla
AG	AN	Antigua and Barbuda
VG	BV	Virgin Islands, British
KY	CQ	Cayman Islands
BM	BM	Bermuda
GD	GN	Grenada
TC	TC	Turks and Caicos Islands
MS	RT	Montserrat
SX	SF	Sint Maarten
LC	SA	Saint Lucia
DM	DM	Dominica
VC	ZF	Saint Vincent and the Grenadines
DO	DR	Dominican Republic
TT	TR	Trinidad and Tobago
KN	KA	Saint Kitts and Nevis
JM	JM	Jamaica

Appendix C – United States Major Trading Areas

01 02 03 04 05	New York Los Angeles-San Diego Chicago San Francisco-Oakland-San Jose Detroit Charlotte-Greensboro-Greenville-Raleigh	27 28 29 30 31	Phoenix Memphis-Jackson Birmingham Portland Indianapolis Des Moines-Quad Cities
06	Charlotte-Greensboro-Greenville-Raleigh	32	Des Moines-Quad Cities
07	Dallas-Fort Worth	33	San Antonio
08	Boston-Providence	34	Kansas City

09	Philadelphia	35	Buffalo-Rochester
10	Washington-Baltimore	36	Salt Lake City
11	Atlanta	37	Jacksonville
12	Minneapolis-St. Paul	38	Columbus
13	Tampa-St. Petersburg-Orlando	39	El Paso-Albuquerque
14	Houston	40	Little Rock
15	Miami-Fort Lauderdale	41	Oklahoma City
16	Cleveland	42	Spokane-Billings
17	New Orleans-Baton Rouge	43	Nashville
18	Cincinnati-Dayton	44	Knoxville
19	St. Louis	45	Omaha
20	Milwaukee	46	Wichita
21	Pittsburgh	47	Honolulu
22	Denver	48	Tulsa
23	Richmond-Norfolk	49	Alaska
24	Seattle (Excluding Alaska)	50	Guam-Northern Mariana Islands
25	Puerto Rico-U.S. Virgin Islands	51	American Samoa
26	Louisville-Lexington-Evansville		

Appendix D – United States Telephone Number Format and Values

The telephone numbering address is a ten-digit number that consists of the following three basic parts:

- A 3-digit Numbering Plan Area (NPA) code, commonly called the area code.
- A 3-digit Central Office (CO) code referred to as the NXX code. The term Central Office, or CO, code is
 used in this document because of its long-standing use and because the NXX format is used for both CO
 Codes and NPA codes.
- A 4-digit line number previously referred to as a station number.

The format of a NANP Number is $NXX-NXX-XXXX^6$ where N = digits 2 through 9 and X = any digit of 0 through 9. The digit positions in the NANP format can be identified by alphabetical characters using the following format ABC-DEF-GHIJ, where ABC is the NPA, DEF is the CO Code, and GHIJ is the Line Number.

Therefore: A United States telephone number is a ten-digit number that contains two 3-digit codes and a 4-digit line number. The values of these telephone numbers are the decimal digits 0 through 9.

When written or printed, these groups of digits should be visually separated by dashes, spaces or periods in accordance with ITU-T Rec. E.123 "Notation for national and international telephone numbers, e-mail addresses and Web addresses" in order to make them easier to recognize and remember (e.g., NXX-NXX-XXXX).

When a United States telephone number is written or printed as an international number, the number should be prefixed by "+1" and a space (e.g., +1 NXX-NXX-XXXX).

⁶ The use of the Area Code is optional in some areas that permit 7-digit local dialing.